

Friday, May 18, 2012

Attn: Mr. Mike Susca Leggette, Brashears & Graham

6 Executive Drive
Farmington CT 06030

Project ID: DELL

Sample ID#s: BB78103 - BB78105

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory. All soils and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

Enclosed are revised Analysis Report pages. Please replace and discard the original pages. If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

Phyllis Shiller

Laboratory Director

NELAC - #NY11301

CT Lab Registration #PH-0618
MA Lab Registration #MA-CT-007

ME Lab Registration #CT-007

NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003 NY Lab Registration #11301 PA Lab Registration #68-03530

RI Lab Registration #63

VT Lab Registration #VT11301



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 18, 2012

FOR: Attn: Mr. Mike Susca

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample InformationCustody InformationDateTimeMatrix:SOLIDCollected by:04/26/1214:58

Location Code: LBG-FARM Received by: SW 04/27/12 14:34

Rush Request: Standard Analyzed by: see "By" below

P.O.#: SDG ID: GBB78100

Phoenix ID: BB78103

Project ID: DELL
Client ID: 4D 4-5

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	93		%	05/10/12		JL	E160.3
Extraction of CT ETPH	Completed			05/10/12		BS/F	3545
Extraction for PCB	Completed			05/12/12		MQ/XD	SW3540C
TPH by GC (Extractable	Products)						
Ext. Petroleum HC	1600	110	mg/Kg	05/15/12		JRB	CT ETPH/8015
Identification	**		mg/Kg	05/15/12		JRB	CT ETPH/8015
QA/QC Surrogates							
% n-Pentacosane	Diluted Out		%	05/15/12		JRB	50 - 150 %
PCB (Soxhlet)							
PCB-1016	ND	350	ug/Kg	05/16/12		МН	3540C/8082
PCB-1221	ND	350	ug/Kg	05/16/12		MH	3540C/8082
PCB-1232	ND	350	ug/Kg	05/16/12		MH	3540C/8082
PCB-1242	ND	350	ug/Kg	05/16/12		MH	3540C/8082
PCB-1248	ND	350	ug/Kg	05/16/12		MH	3540C/8082
PCB-1254	650	350	ug/Kg	05/16/12		MH	3540C/8082
PCB-1260	ND	350	ug/Kg	05/16/12		MH	3540C/8082
PCB-1262	ND	350	ug/Kg	05/16/12		MH	3540C/8082
PCB-1268	ND	350	ug/Kg	05/16/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	93		%	05/16/12		MH	30 - 150 %
% TCMX	88		%	05/16/12		MH	30 - 150 %

Page 1 of 6 Ver 2

Project ID: DELL Phoenix I.D.: BB78103

Client ID: 4D 4-5

Parameter Result RL Units Date Time By Reference

Comments:

**Petroleum hydrocarbon chromatogram was not a perfect match with any of the standards, but contains a distribution in the C9 to C36 range. The sample was quantitated against a C9-C36 standard.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

All soils and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 18, 2012

Reviewed and Released by: Maryam Taylor, Project Manager

Page 2 of 6 Ver 2



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 18, 2012

FOR: Attn: Mr. Mike Susca

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: **SOLID**

Location Code: LBG-FARM

Rush Request: Standard

P.O.#:

Custody Information

Date 04/26/12

Time 15:04

Collected by: Received by:

Laboratory Data

SW

04/27/12

14:34

Analyzed by:

see "By" below

SDG ID: GBB78100

Phoenix ID: BB78104

DELL Project ID: 4D 5-6 Client ID:

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid Extraction of CT ETPH	88 Completed		%	04/30/12 05/10/12		JL BS/F	E160.3 3545
Soxhlet Extraction for PCB	Completed			04/27/12		*/*	SW3540C
TPH by GC (Extractable Prod	lucts)						
Ext. Petroleum HC	1600	55	mg/Kg	05/15/12		JRB	CT ETPH/8015
Identification	**		mg/Kg	05/15/12		JRB	CT ETPH/8015
QA/QC Surrogates							
% n-Pentacosane	Diluted Out		%	05/15/12		JRB	50 - 150 %
PCB (Soxhlet)							
PCB-1016	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1221	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1232	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1242	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1248	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1254	410	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1260	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1262	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1268	ND	360	ug/Kg	05/01/12		MH	3540C/8082
OA/OC Surrogates							
% DCBP	68		%	05/01/12		MH	30 - 150 %
% TCMX	74		%	05/01/12		MH	30 - 150 %

Page 3 of 6 Ver 2 Project ID: DELL Phoenix I.D.: BB78104

Client ID: 4D 5-6

Parameter Result RL Units Date Time By Reference

Comments:

**Petroleum hydrocarbon chromatogram was not a perfect match with any of the standards, but contains a distribution in the C9 to C36 range. The sample was quantitated against a C9-C36 standard.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

All soils and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 18, 2012

Reviewed and Released by: Maryam Taylor, Project Manager

Page 4 of 6 Ver 2



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 18, 2012

FOR: Attn: Mr. Mike Susca

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

SOLID

Location Code: LBG-FARM

Rush Request: Standard

P.O.#:

Matrix:

Custody Information

Collected by:

Received by:

Analyzed by:

SW

04/26/12

Date

Time 15:05

04/27/12

14:34

see "By" below

Laboratory Data

SDG ID: GBB78100 Phoenix ID: BB78105

DELL Project ID: 4D 6-7 Client ID:

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	87		%	05/10/12		JL	E160.3
Extraction for PCB	Completed			05/12/12		MQ/XD	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	370	ug/Kg	05/15/12		MH	3540C/8082
PCB-1221	ND	370	ug/Kg	05/15/12		MH	3540C/8082
PCB-1232	ND	370	ug/Kg	05/15/12		MH	3540C/8082
PCB-1242	ND	370	ug/Kg	05/15/12		MH	3540C/8082
PCB-1248	ND	370	ug/Kg	05/15/12		MH	3540C/8082
PCB-1254	ND	370	ug/Kg	05/15/12		MH	3540C/8082
PCB-1260	ND	370	ug/Kg	05/15/12		MH	3540C/8082
PCB-1262	ND	370	ug/Kg	05/15/12		MH	3540C/8082
PCB-1268	ND	370	ug/Kg	05/15/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	94		%	05/15/12		MH	30 - 150 %
% TCMX	97		%	05/15/12		MH	30 - 150 %

Page 5 of 6 Ver 2 Project ID: DELL Phoenix I.D.: BB78105

Client ID: 4D 6-7

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

All soils and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 18, 2012

Reviewed and Released by: Maryam Taylor, Project Manager

Page 6 of 6 Ver 2



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

QA/QC Report

May 18, 2012

QA/QC Data

SDG I.D.: GBB78100

40 - 140

40 - 140

40 - 140

40 - 140

30 - 150

30 - 150

30

30

30

30

30

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits	
QA/QC Batch 200456, QC	Sample No: BB78083 (BB78103, BB	78104)								
TPH by GC (Extracta	ble Products) - Solid									
Ext. Petroleum HC	ND	81	82	1.2	106	76	33.0	50 - 150	30	r
% n-Pentacosane	52	95	95	0.0	132	99	28.6	50 - 150	30	·
OA/OC Batch 200588, OC	Sample No: BB78096 (BB78103, BB	78105)								
Polychlorinated Biphe	· ·	,								
PCB-1016	ND	106	117	9.9				40 - 140	30	
PCB-1221	ND	100	,	,.,				40 - 140	30	
PCB-1232	ND							40 - 140	30	
PCB-1242	ND							40 - 140	30	
PCB-1248	ND							40 - 140	30	
PCB-1254	ND							40 - 140	30	
PCB-1260	ND	104	102	1.9				40 - 140	30	
PCB-1262	ND							40 - 140	30	
PCB-1268	ND							40 - 140	30	
% DCBP (Surrogate Rec)	96	87	89	2.3				30 - 150	30	
% TCMX (Surrogate Rec)	98	85	88	3.5				30 - 150	30	
Comment:										
The batch MS and MSD recovery within QA/QC limits.	veries could not be calculated due to the pr	resence of PC	CB in the	unspiked	d sample	e. LCS/L	CSD rec	overies we	ere	
QA/QC Batch 199537, QC : BB78110, BB78111, BB781	Sample No: BB78097 (BB78100, BB ² 114, BB78116)	78101, BB7	8104, BI	B78106	, BB78	107, BE	378108,	BB78109	θ,	
Polychlorinated Biphe	enyls - Solid									
PCB-1016	ND	84	89	5.8	79	87	9.6	40 - 140	30	
PCB-1221	ND		-			-	-	40 - 140	30	
PCB-1232	ND							40 - 140	30	
PCB-1242	ND							40 - 140	30	
PCB-1248	ND							40 - 140	30	

ND

ND

ND

ND

101

82

PCB-1254

PCB-1260

PCB-1262

PCB-1268

% DCBP (Surrogate Rec)

% TCMX (Surrogate Rec)

79

80

66

84

91

72

6.1

12.9

126

68

70

106

64

58

17.2

6.1

18.8

r = This parameter is outside laboratory rpd specified recovery limits.

QA/QC Data

SDG I.D.: GBB78100

% RPD % LCS LCSD LCS MS MSD MS Rec Blank % RPD % % RPD Limits Limits % Parameter

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria

Intf - Interference

Phyllis/Shiller, Laboratory Director

May 18, 2012

Friday, May 18, 2012

Page 1 of 1

Sample Criteria Exceedences Report

D	~	0014		
Requested Criteria:	GAM.	GBM.	I/C.	RC

		,,,				GBB/8100					Factored	
SampNo	LocCode	Acode	Phoenix Analyte	Criteria Units	ST	State Category	Criteria Name	Result	RL	Factored Criteria	RL Criteria	Analysis Units
BB78100	LBG-FARM	\$PCB_SOXR	PCB-1254	mg/kg	СТ	Pesticides, Pcb's, Tph, A	RES DEC (mg/kg)	1200	330	1000	1000	ug/Kg
BB78103	LBG-FARM	\$ETPH_SMR	Ext. Petroleum HC	mg/kg	СТ	Pesticides, Pcb's, Tph, A	GA/GAA PMC (mg/kg)	1600	110	500	500	mg/Kg
BB78103	LBG-FARM	\$ETPH_SMR	Ext. Petroleum HC	mg/kg	СТ	Pesticides, Pcb's, Tph, A	RES DEC (mg/kg)	1600	110	500	500	mg/Kg
BB78104	LBG-FARM	\$ETPH_SMR	Ext. Petroleum HC	mg/kg	СТ	Pesticides, Pcb's, Tph, A	GA/GAA PMC (mg/kg)	1600	55	500	500	mg/Kg
BB78104	LBG-FARM	\$ETPH_SMR	Ext. Petroleum HC	mg/kg	CT	Pesticides, Pcb's, Tph, A	RES DEC (mg/kg)	1600	55	500	500	mg/Kg

Phoenix Laboratories does not assume responsibility for the data contained in this report. It is provided as an additional tool to identify requested criteria exceedences. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.

Reasonable Confidence Protocol Laboratory Analysis QA/QC Certification Form

Laboratory Name: Phoenix Environmental Labs, Inc. Client: LBG-FARM **Project Number:** Project Location: DELL Laboratory Sample ID(s): BB78100, BB78101, BB78102, BB78103, BB78104, BB78105, BB78106, BB78107, BB78108, BB78109, BB78110, BB78111, BB78112, BB78113, BB78114, BB78115, BB78116 **Sampling Date(s):** 4/26/2012 **RCP Methods Used:** 1311/1312 6010 7000 7196 ☐ EPH TO15 7470/7471 ✔ 8082 8270 ☐ ETPH 9010/9012 ☐ VPH 8260 8151 For each analytical method referenced in this laboratory report package, were all ✓ Yes □ No specified QA/QC performance criteria followed, including the requirement to explain any criteria falling outside of acceptable guidelines, as specified in the CT DEP methodspecific Reasonable Confidence Protocol documents? Were the method specified preservation and holding time requirements met? 1a. ✓ Yes □ No EPH and VPH methods only: Was the VPH or EPH method conducted without 1b. ☐ Yes ☐ No **✓** NA significant modifications (see section 11.3 of respective RCP methods) 2. Were all samples received by the laboratory in a condition consistent with that ✓ Yes No described on the associated Chain-of-Custody document(s)? Were samples received at an appropriate temperature (< 6 Degrees C)? 3. ✓ Yes □ No \square NA Were all QA/QC performance criteria specified in the Reasonable Confidence Protocol 4. ✓ Yes □ No documents achieved? Were reporting limits specified or referenced on the chain-of-custody? 5a. ✓ Yes □ No Were these reporting limits met? 5b. ✓ Yes □ No \square NA For each analytical method referenced in this laboratory report package, were results 6. ✓ Yes □ No \square NA reported for all constituents identified in the method-specific analyte lists presented in the Reasonable Confidence Protocol documents? Are project-specific matrix spikes and laboratory duplicates included in the data set? ☐ Yes ✓ No \square NA Note: For all questions to which the response was "No" (with the exception of question #5a, #7), additional information must be provided in an attached narrative. If the answer to question #1, #1A or 1B is "No", the data package does not meet the requirements for "Reasonable Confidence". I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowlegde and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. Date: Friday, May 18, 2012 Malaylor Authorized Printed Name: Maryam Taylor Signature:

Position: Project Manager







RCP Certification Report

May 18, 2012

SDG I.D.: GBB78100

ETPH Narration

Were all QA/QC performance criteria specified in the Reasonable Confidence Protocol documents achieved? Yes.

Instrument: Aufid3 05/15/12-1 (BB78104)

Initial Calibration (AU-FID3 - ETPH_1) - The initial calibration curve was within method criteria and had a %RSD less than 30%.

The daily continuing calibration standard was within method criteria of +/- 30% RSD.

As per section 7.2.3, a discrimination check standard was run and contained the following outliers: None

Printed Name Jeff Bucko **Position:** Chemist **Date:** 5/15/2012

Instrument: <u>Au-fid84 05/15/12-1 (BB78103)</u>

Initial Calibration (FID84 - ETPH_13) - The initial calibration curve was within method criteria and had a %RSD less than 30%.

The daily continuing calibration standard was within method criteria of \pm 30% RSD.

As per section 7.2.3, a discrimination check standard was run and contained the following outliers: C36

Printed Name Jeff Bucko Position: Chemist Date: 5/15/2012

QC (Batch Specific)

----- Sample No: BB78083, QA/QC Batch: 200456 -----

All LCS recoveries were within 50 - 150 with the following exceptions: None.

All LCSD recoveries were within 50 - 150 with the following exceptions: None.

All LCS/LCSD RPDs were less than 30% with the following exceptions: None.

PCB Narration

Were all QA/QC performance criteria specified in the Reasonable Confidence Protocol documents achieved? Yes.

Instrument: Au-ecd35 05/15/12-1 (BB78105)

8082 Narration:

The initial calibration RSD for the compound list was less than 15% except for the following compounds: none

The continuing calibration standards were within acceptance criteria except for the following compounds: none



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823



RCP Certification Report

May 18, 2012

SDG I.D.: GBB78100

Printed Name Michael Hahn Position: Chemist Date: 5/15/2012

Instrument: Au-ecd4 05/16/12-1 (BB78103)

8082 Narration:

The initial calibration RSD for the compound list was less than 15% except for the following compounds: none

The continuing calibration standards were within acceptance criteria except for the following compounds: none

Printed Name Michael Hahn Position: Chemist Date: 5/16/2012

Instrument: Au-ecd6 05/01/12-1 (BB78100, BB78101, BB78104, BB78106, BB78107, BB78108,

BB78109, BB78110, BB78111, BB78114, BB78116)

8082 Narration:

The initial calibration RSD for the compound list was less than 15% except for the following compounds: none


The continuing calibration standards were within acceptance criteria except for the following compounds: none

Printed Name Michael Hahn Position: Chemist Date: 5/1/2012

QC Comments: QC Batch 00588 05/12/12 (BB78103, BB78105)

The batch MS and MSD recoveries could not be calculated due to the presence of PCB in the unspiked sample. LCS/LCSD recoveries were within QA/QC limits.







RCP Certification Report

May 18, 2012

SDG I.D.: GBB78100

QC (Batch Specific) Sample No: BB78096, QA/QC Batch: 200588
All LCS recoveries were within 40 - 140 with the following exceptions: None.
All LCSD recoveries were within 40 - 140 with the following exceptions: None.
All LCS/LCSD RPDs were less than 30% with the following exceptions: None.
Sample No: BB78097, QA/QC Batch: 199537
All LCS recoveries were within 40 - 140 with the following exceptions: None.
All LCSD recoveries were within 40 - 140 with the following exceptions: None.
All LCS/LCSD RPDs were less than 30% with the following exceptions: None.

SHOP BLOOK Õ NJ Hazsite EDD Phoenix Std Report NJ Reduced Deliv. ŏ (860) 678-0606 (860) 678-0404 P_pd Data Package Data Format

Excel
PDF
GIS/Key GIS/Key EQuÍS ☐ ASP-A Other Pelnsid dos. Temp Data Delivery: Project P.O: Fax #: Phone #: Roy Bugues is Email: iligiloo jis jot MCP Certification MWRA eSMART Fax #: 占 | MA | MCP C | GW-1 | GW-2 | GW-2 | GW-3 | G Other S-2 S-3 S-3 State where samples were collected: GB Mobility
SW Protection
Res. DEC East Middle Tumpike, P.O. Box 370, Manchester, CT 06040 Email: info@phoenixlabs.com Fax (860) 645-0823 Res. Criteria GW Protect GA Mobility CT/RI NRCP Cert Ind. DEC Other CHAIN OF CUSTODY RECORD Client Services (860) 645-8726 Mike Susca, LBG Mike Susca, LBG * SURCHARGE APPLIES Turnaround: 1 Day*
2 Days*
3 Days*
Standard Other DELL Time: Invoice to: Report to: Gelly os seco Analysis Request Project: Please freeze all held samples. Held samples may be analyzed for PCBs × X × X X × 1/21/ الحيح 328 Date: मठम 150C Sampled 250 いて 1451 8571 707 15051 5251 Z 4/26/2012 4/26/2012 4/26/2012 4/26/2012 4/26/2012 4/26/2012 4/26/2012 4/26/2012 Date Sampled 4/26/2012 4/26/2012 4/26/2012 4/26/2012 Client Sample - Information - Identification O=oil X=other Leggette, Brashears & Graham, Inc. Sample Matrix S S တ S S S S S S S S S Environmental Laboratories, Inc. S=soil/solid A=air 6 Executive Drive Suite 109 Comments, Special Requirements or Regulations: 5.0-22.0 Ascepted by 51.0-5.0 Farmington, CT 06032 0.5-0.15 70-520 Customer Sample 3-4 WW≔wastewater SL=sludge Identification 5-6 2 7 51-2 11-119 511-8 40 pending initial results. Ŝ S 7 9 3 40 <u>Matrix Code:</u> DW=drinking water GW≔groundwater 5 Q C 00/ Customer: Address: O Phoenix Sample # 0 Sampler's Signature &80 80

CHAIN OF CUSTODY RECORD

Pg. (C of . 10

Temp

Data Delivery:

Email:

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040 Email: info@phoenixlabs.com Fax (860) 645-0823

Fax (860) 645-0823	645-8726
iail: info@phoenixlabs.com Fax (860) 645-0823	Client Services (860) 645-8726

Customer:	Leggette, Brashears & Graham, Inc.	raham, In	JC.		Pro	Project: D	DELL		<u> </u>	Project P.O		
Address:	6 Executive Drive Suite 109	60			Ret	Report to:	Mike Susca, LBG		<u>a</u> .	Phone #:	(860) 678-0404	
	Farmington, CT 06032				Inve	Invoice to:	Mike Susca, LBG		II	Fax #:	(860) 678-0606	
Sampler's Signature	Client Sample - Information - Identification	- Identifica	ttion Date:		Analysis Request	ysis			90 PS	**************************************	The Control of the Co	
Matrix Code: DW≂drinking water GW=groundwater	er WW=wastewater S=soil/solid SL=sludge A=air	olid O=oil X=other	her			Gold				0 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0	Upos Villos	2
Phoenix Sample #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	\$ 100 TO STORY	344 S		TOS ELISTES
7/	15 1-7	တ	4/26/2012	1531	×	i			1-			
113	(C 4-5	S	4/26/2012	8551	×				-			
51	(5 5-5	S	4/26/2012	1543	×				-			
5	(-0-)	လ	4/26/2012	15-44	×				-			
	8-1-8	တ	4/26/2012	ī. —	×				-			
		S	4/26/2012						-			
		S	4/26/2012						-			
		S	4/26/2012						-			
		S	4/26/2012						-			
		S	4/26/2012						-			}
		S	4/26/2012						-			
		S	4/26/2012						-			
Relinduished by	/ Agcepted by:			Date:		Time:	Turnaround:	CT/RI	MA		Data Format	
				7//-	21/12	028)	1 Day*	KRCP Cert	MCP Certification	tification	Excel	
	1 Jahren	X	\rightarrow	<u> </u>	747	グガン	C 3 Days*	GA Mobility	8 8		☐ GIS/Key	
		5	-			<u>}</u>	Standard	GB Mobility SW Protection	GW-3 S-1		EQuIS	
s, Specia	Comments, Special Requirements or Regulations:	ns:					* SURCHARGE		S-25		Data Package	
freeze i initial	Please freeze all held samples. Held pending initial results.	sample	Held samples may be analyzed for PCBs	analyzec	d for PC)Bs	APPLIES		☐ MWRA eSMART	SMART	ASP-A NJ Reduced Deliv.	*
					i		State where	State where samples were collected:	cted:	CI	☐ NJ Hazsite EDD ☐ Phoenix Std Report	
	***						-				Other	

Bobbi - Phoenixlabs

From: David D'Onofrio [ddonofrio@LBGCT.com]

Sent: Thursday, May 10, 2012 11:46 AM

To: 'bobbi@phoenixlabs.com'

Cc: Michael Susca

Subject: Request for additional analyses

Bobbi,

Please run additional analyses on the Dell samples as noted in the table below.

Phoenix Id	Sample ID	Sample Depth (ft bg)	PCBs	СТЕТРН
BB76664	1A	4-5	X	X
BB76665		5-6		X
BB76670		10-11	X	
BB76671		11-12	X	
BB76672		12-13	X	
BB76678	2A	4-5		X
BB76679		5-6		X
BB78037	2C	1-2	X	
BB78038		4-5	X	X
BB78039		5-6		X
BB78040		6-7	X	
BB78052	3C	4-5	X	
BB78054		6-7	X	
BB78056		8-9	X	
BB78058		10-11	X	
BB78060		12-13	X	
BB78065	4C	6-7	X	
BB78069	6C	1-2	X	
BB78070		4-5	X	
BB78072		6-7	X	
BB78079	7C	6-7	X	and the second
BB78081	2D	4-5		X
BB78082		5-6		X
BB78083		6-7	X	X
BB78088	3D	4-5		X
BB78089		5-6		X
BB78090		6-7	X	
BB78103	4D	4-5	X	X
BB78104		5-6		X
BB78105		6-7	X	
€BB78092	3E	4-5	X	X
BB78093		5-6		X
BB78094		6-7	X	
BB78096	4E	4-5	X	X
BB78097		5-6		X
BB78098		6-7	X	

Please feel free to contact me if you have any questions regarding this request.

Thanks, Dave

DAVID J. D'ONOFRIO

Senior Hydrogeologist

Leggette. Brashears & Graham, Inc. 6 Executive Drive Spite 109 Farmington, CT 08032

ddonoffia@lbgct.com (857) 578-0404 x 350 Office (850) 678-0605 Fax (203) 767-7373 Csh

masdevegavena



This email has been scanned by the Symantec Email Security.cloud service. For more information please visit http://www.symanteccloud.com